



Stp275 20 wfw Slovenia

STP275-285 - 20 /Wfw-TG Wuxi Suntech Power Co., Ltd. Technology: Power Range: Wp Region: China Contact Manufacturer Product is no longer manufactured. Solar Panel MY Solar - M10 Series MY-M10/144-540-560W From EUR0.0616 / Wp ...

STP275 - 20/Wfw 5 PREMIUM Years WARRANTY Weak light Excellent weak light performance More power output in weak light condition, such as haze, cloudy, and morning lower hot spots Reduce the hot spots and minimize panel degradation ** Certifications and standards: IEC 61215, IEC 61730, conformity to CE

Painel solar fotovoltaico de 60 células, de excelente qualidade, policristalino, com uma potência de 275 Wp, com 5 busbar, de um dos fabricantes mais reconhecidos mundialmente pela sua qualidade, inovação e fiabilidade. Tolerância positiva. Com estas características, proporciona a melhor relação preço/preformance em instalações de autoconsumo fotovoltaico.

STP280 - 20/Wfw STP275 - 20/Wfw STP270 - 20/Wfw 0/+5W Positive tolerance Positive tolerance of up to 5 W delivers higher output reliability IP68 Rated Junction Box The Suntech IP68 rated junction box ensures an outstanding waterproof level, supports installations in all orientations and

Maximum Series Fuse Rating 20 A Power Tolerance 0/+5 W STC: Irradiance 1000 W/m2, module temperature 25 °C, AM=1.5; Best in Class AAA solar simulator (IEC 60904-9) used, power measurement uncertainty is within +/- 3% NOCT STP285S-20/ Wfw STP280S-20/ Wfw STP275S-20/ Wfw Maximum Power at NOCT (Pmax) 210.4 W 206.5 W 202.8 W

Wuxi Suntech Power Co., Ltd. Solar Panel Series STP265-275 - 20/Wfw. Detailed profile including pictures, certification details and manufacturer PDF ... STP270-20/ Wfw STP275-20/ Wfw Warranty Product Warranty 12 Years Power Warranty 25 Years of 80.7% Output Power Electrical Data at STC Maximum Power (Pmax) 265 Wp 270 Wp

?STP275-20/Wfw? <?????????> ??????????275W?????????275W)????

NOCT: Irradiance 800 W/m2, ambient temperature 20 °C, AM=1.5, wind speed 1 m/s; Best in Class AAA solar simulator (IEC 60904-9) used, power measurement uncertainty is within +/- 3% STP275- 20/Wfw STP270 - 20/Wfw STP265 - 20/Wfw Temperature Characteristics Nominal Operating Cell Temperature (NOCT) 45±0.2°C Temperature Coefficient of Pmax -0.41 %/°C

Web: <https://tadzik.eu>

